

Applicant : Craig D. Rublee
Serial No. : 10/071,660
Filed : February 8, 2002
Page : 3 of 4

Attorney's Docket No.: 07844-517001 / P479

Amendment to the Drawings:

The attached replacement sheet of drawings includes changes to Fig. 1 and replaces the original sheet including Fig. 1.

In Figure 1, attribute prediction module 135 was added.

Attachments following last page of this Amendment:

Replacement Sheet (1 page)

REMARKS

In response to the *Ex Parte Quayle* action dated December 13, 2005, the Applicant hereby submits replacement drawings for Figure 1 and an amendment to the specification. If the Examiner has any further objections in regard to the figures or specification, the Applicant kindly requests the Examiner contact the Applicant's representative, D. Austin Horowitz, at (650) 839-5096.


Interview Summary

The Applicant's representative thanks Examiner Yang for the courtesies extended during the telephonic interview conducted on January 5, 2006. During the interview, Examiner Yang expressed concern regarding the consistency between the specification and replacement Figure 1. Applicant's representative suggested a minor amendment to the specification which was received favorably by Examiner Yang; the suggested amendment is included in this reply. None of the claims were discussed.

Please apply any charges or credits to deposit account 06-1050.

Respectfully submitted,

Date: 9 JAN 2006


D. Austin Horowitz
Reg. No. 46,779

Customer No. 021876
Telephone: (650) 839-5070
Facsimile: (650) 839-5071